

# PERFORATED SHEETS

Creativ Line



ALWAYS UP TO DATE:

You can find all MEVACO products and our prices on the website:  
Simply order in the online shop: [www.mevaco.de](http://www.mevaco.de)

# Perforated sheet

Open Area: 46.75 %

## Arabica



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.50               | 501662         | 157651                         | 153427                          | 153611                         | 6.3                         |     |
|   | 2.00               | 502434         | 153253                         | 153428                          | 153612                         | 8.4                         |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.50           | 501562                         | 156919                          | 156920                         | 156921                      | 6.3 |
|   |                    | 2.00           | 502345                         | 156922                          | 156923                         | 156924                      | 8.4 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500902                         | 150145                          | 150337                         | 150523                      | 2.2 |
|   |                    | 2.00           | 501764                         | 150146                          | 150338                         | 150524                      | 2.9 |
| // PVC coated on one side   |                    | 1.50           | 501005                         | 150642                          | 150757                         |                             | 2.2 |
|   |                    | 2.00           | <sup>M</sup> 501861            | 157944                          | 150758                         |                             | 2.9 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501089                         | 150943                          |                                |                             | 2.2 |
| EN AW-5005 H24 EQ // PVC coated on both sides                     | AlMg 1 hh EQ       | 2.00           | 501944                         | 156495                          | 156544                         | 156593                      | 2.9 |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 501996                         | 151362                          | 151421                         | 151480                      | 2.9 |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |     |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50           | 501309                         | 152249                          | 156446                         | 152520                      | 6.3 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50           | 501426                         | 152683                          | 152780                         | 152869                      | 6.3 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50           | 501225                         | 151979                          |                                | 152097                      | 6.3 |
| <b>Brass</b>  |                    |                |                                |                                 |                                |                             |     |
| CuZn37  |                    | 1.50           | 503252                         | 158214                          |                                |                             | 6.8 |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 36 %

## Leporello



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |      |
|   | 1.50               | 501672         | 153254                         | 153429                          | 153613                         | 7.5                         |      |
|   | 2.00               | 502439         | 153255                         | 153430                          | 153614                         | 10.0                        |      |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.50           | 501572                         | 156955                          | 156956                         | 156957                      | 7.5  |
|   |                    | 2.00           | 502350                         | 156958                          | 156959                         | 156960                      | 10.0 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500912                         | 150147                          | 150339                         | 150525                      | 2.6  |
|   |                    | 2.00           | 501771                         | 150148                          | 150340                         | 150526                      | 3.5  |
|   |                    | 3.00           | 502579                         | 150149                          | 150341                         | 150527                      | 5.2  |
| // PVC coated on one side   |                    | 1.50           | 501014                         | 150643                          | 150759                         |                             | 2.6  |
|   |                    | 2.00           | 501868                         | 157653                          | 150760                         |                             | 3.5  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501099                         | 150945                          |                                |                             | 2.6  |
|   |                    | 3.00           | 502641                         |                                 |                                | 151269                      | 5.2  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502003                         | 151363                          | 151422                         | 151481                      | 3.5  |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50           | 501316                         | 152250                          | 152394                         | 152521                      | 7.5  |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50           | 501433                         | 152684                          | 152781                         | 152870                      | 7.5  |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50           | 501231                         | 151980                          |                                | 152098                      | 7.5  |

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 17.25 %

## Rhomb aligned



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format    | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|-------------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                   |                                |                                 |                                |                             |      |
|   | 1.50               | 501721            | 153256                         | 153431                          | 153615                         | 9.7                         |      |
|   | 2.00               | 502480            | 153257                         | 153432                          | 153616                         | 13.0                        |      |
| <b>Pre-galvanised</b>   |                    |                   |                                |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.50              | 501622                         | 157074                          | 157075                         | 157076                      | 9.7  |
|   |                    | 2.00              | 502393                         | 157077                          | 157078                         | 157079                      | 13.0 |
| <b>Aluminium</b>  |                    |                   |                                |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50              | 500963                         | 150150                          | 150342                         | 150528                      | 3.4  |
|   |                    | 2.00              | 501819                         | 150151                          | 150343                         | 150529                      | 4.5  |
| // PVC coated on one side   |                    | 1.50              | 501057                         | 150644                          | 150761                         |                             | 3.4  |
|   |                    | 2.00 <sup>M</sup> | 501912                         | 157647                          | 150762                         |                             | 4.5  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50              | 501139                         | 150947                          |                                |                             | 3.4  |
|   |                    | 3.00              | 502669                         |                                 |                                | 151272                      | 6.7  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00              | 502045                         | 151364                          | 151423                         | 151482                      | 4.5  |
| <b>Stainless steel</b>  |                    |                   |                                |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50              | 501358                         | 152251                          | 152395                         | 152522                      | 9.7  |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50              | 501470                         | 152685                          | 152782                         | 152871                      | 9.7  |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50              | 501271                         | 151981                          |                                | 152099                      | 9.7  |
| X6CrNiMoTi17-12 2B  | 1.4571 IIIC        | 1.50              | 501528                         | 156449                          |                                |                             | 9.7  |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 15.44 %

## Rhomb staggered



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |      |
|   | 1.50               | 501722         | 153258                         | 153433                          | 153617                         | 10.0                        |      |
|   | 2.00               | 502481         | 153259                         | 153434                          | 153618                         | 13.3                        |      |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.50           | 501623                         | 157080                          | 157081                         | 157082                      | 10.0 |
|   |                    | 2.00           | 502394                         | 157083                          | 157084                         | 157085                      | 13.3 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500964                         | 150152                          | 150344                         | 150530                      | 3.4  |
|   |                    | 2.00           | 501820                         | 150153                          | 156450                         | 150531                      | 4.6  |
|   |                    | 3.00           | 502608                         | 150154                          | 150345                         | 150532                      | 6.8  |
| // PVC coated on one side   |                    | 1.50           | 501058                         | 150645                          | 150763                         |                             | 3.4  |
|   |                    | 2.00           | 501913                         | 150646                          | 150764                         |                             | 4.6  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501140                         | 150950                          |                                |                             | 3.4  |
|   |                    | 3.00           | 502670                         |                                 |                                | 151275                      | 6.8  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502046                         | 151365                          | 151424                         | 151483                      | 4.6  |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50           | 501359                         | 152252                          | 152396                         | 152523                      | 10.0 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50           | 501471                         | 152686                          | 152783                         | 152872                      | 10.0 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50           | 501272                         | 151982                          |                                | 152100                      | 10.0 |
| X6CrNiMoTi17-12 2B  | 1.4571 IIIC        | 1.50           | 501529                         | 156451                          |                                |                             | 10.0 |

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

## Perforated sheet

Open Area: 27.96 %

## Rectangular



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |      |
|   | 1.50               | 501726         | 153260                         | 153435                          | 153619                         | 8.5                         |      |
|   | 2.00               | 502485         | 153261                         | 153436                          | 153620                         | 11.3                        |      |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.50           | 501627                         | 157086                          | 157087                         | 157088                      | 8.5  |
|   |                    | 2.00           | 502398                         | 157089                          | 157090                         | 157091                      | 11.3 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500968                         | 150155                          | 150346                         | 150533                      | 2.9  |
|   |                    | 2.00           | 501824                         | 150156                          | 150347                         | 150534                      | 3.9  |
|   |                    | 3.00           | 502612                         | 150157                          | 150348                         | 150535                      | 5.8  |
| // PVC coated on one side   |                    | 1.50           | 501062                         | 150647                          | 150765                         |                             | 2.9  |
|   |                    | 2.00           | 501917                         | 157656                          | 150766                         |                             | 3.9  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501141                         | 150953                          |                                |                             | 2.9  |
|   |                    | 3.00           | 502671                         |                                 | 151278                         |                             | 5.8  |
| EN AW-5005 H24 EQ // PVC coated on both sides                     | AlMg 1 hh EQ       | 2.00           | 501978                         | 156494                          | 156543                         | 156592                      | 3.9  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502047                         | 151366                          | 151425                         | 151484                      | 3.9  |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50           | 501363                         | 152253                          | 152397                         | 152524                      | 8.5  |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50           | 501475                         | 152687                          | 152784                         | 152873                      | 8.5  |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50           | 501273                         | 151983                          |                                | 152101                      | 8.5  |

## Perforated sheet

Open Area: 16.65 %

## Halfmoon



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.50               | 501669         | 153262                         | 153437                          | 153621                         | 9.8                         |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.50           | 501569                         | 156944                          | 156945                         | 156946                      | 9.8 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500909                         | 150158                          | 150349                         | 150536                      | 3.4 |
|   |                    | 2.00           | 501770                         | 150159                          | 150350                         | 150537                      | 4.5 |
| // PVC coated on one side   |                    | 1.50           | 501011                         | 150648                          | 150767                         |                             | 3.4 |
|   |                    | 2.00           | <sup>M</sup> 501867            | 157655                          | 150768                         |                             | 4.5 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501096                         | 150956                          |                                |                             | 3.4 |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502002                         | 151367                          | 151426                         | 151485                      | 4.5 |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 14.27 %

## Wave



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |      |
|   | 1.50               | 501763         | 153263                         | 153438                          | 153622                         | 10.1                        |      |
|   | 2.00               | 502521         | 153264                         | 153439                          | 153623                         | 13.5                        |      |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.50           | 501661                         | 157110                          | 157111                         | 157112                      | 10.1 |
|   |                    | 2.00           | 502433                         | 157113                          | 157114                         | 157115                      | 13.5 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 501004                         | 150160                          | 150351                         | 150538                      | 3.5  |
|   |                    | 2.00           | 501860                         | 150161                          | 150352                         | 150539                      | 4.6  |
| // PVC coated on one side   |                    | 1.50           | 501088                         | 150649                          | 150769                         |                             | 3.5  |
|   |                    | 2.00           | 501943                         | 150650                          | 150770                         |                             | 4.6  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501166                         | 150958                          |                                |                             | 3.5  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502073                         | 151368                          | 151427                         | 151486                      | 4.6  |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50           | 501399                         | 152254                          | 152398                         | 152525                      | 10.1 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50           | 501501                         | 152688                          | 152785                         | 152874                      | 10.1 |
| X5CrNi18-10 2B // polished<br>2 sides grain 240, PVC 2 sides      |                    | 1.50           | <sup>M</sup> 503225            | 157652                          | 158147                         | 158148                      | 10.1 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50           | 501308                         | 151984                          |                                | 152102                      | 10.1 |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.


Simply enter the product name in the online search.

# Perforated sheet


Open Area: 12.2 %

## Soap Bubble



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm   | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |  |                                 |                                |                             |      |
|   | 1.00               | 500901         | 153265   |                                 |                                | 6.9                         |      |
|   | 1.50               | 501761         | 101548   | 153440                          | 153624                         | 10.3                        |      |
|   | 2.00               | 502519         | 153266   | 153441                          | 153625                         | 13.8                        |      |
|   | 2.99               | 502575         | 153267   | 153442                          | 153626                         | 20.6                        |      |
| <b>Pre-galvanised</b>   |                    |                |  |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.00           | 500802   | 153771                          |                                | 6.9                         |      |
|   |                    | 1.50           | 501659   | 157098                          | 157099                         | 10.3                        |      |
|   |                    | 2.00           | 502431   | 157101                          | 157102                         | 13.8                        |      |
|   |                    | 3.00           | 502812   | 156452                          |                                | 20.7                        |      |
| <b>Aluminium</b>  |                    |                |  |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 501002   | 150162                          | 150353                         | 150540                      | 3.6  |
|   |                    | 2.00           | 501858   | 150163                          | 150354                         | 150541                      | 4.7  |
|   |                    | 3.00           | 502636   | 150164                          | 150355                         | 150542                      | 7.1  |
| // PVC coated on one side   |                    | 1.50           | 501086   | 150651                          | 150771                         |                             | 3.6  |
|   |                    | 2.00           |  501941 | 101536                          | 150772                         |                             | 4.7  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501164   | 150960                          |                                |                             | 3.6  |
|   |                    | 3.00           | 502690   |                                 | 151285                         |                             | 7.1  |
| EN AW-5005 H24 EQ // PVC coated on both sides                     | AlMg 1 hh EQ       | 2.00           | 501995   | 156493                          | 156542                         | 156591                      | 4.7  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/CO,<br>PVC 1 side |                    | 2.00           | 502071   | 151369                          | 151428                         | 151487                      | 4.7  |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00           | 500406   | 151636                          | 151765                         | 151849                      | 2.4  |
| <b>Stainless steel</b>  |                    |                |  |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.00           | 500560   | 152255                          | 152399                         |                             | 6.9  |
|   |                    | 1.50           | 501397   | 152256                          | 152400                         | 152526                      | 10.3 |
|   |                    | 2.00           | 502245   | 152257                          | 152401                         | 152527                      | 13.8 |
|   |                    | 3.00           | 502726   | 152258                          |                                |                             | 20.7 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.00           | 500622   | 152689                          |                                |                             | 6.9  |
|   |                    | 1.50           | 501499   | 152690                          | 152786                         | 152875                      | 10.3 |
|   |                    | 2.00           | 502302   | 152691                          | 152787                         |                             | 13.8 |
| X5CrNi18-10 2B // polished<br>2 sides grain 240, PVC 2 sides      |                    | 1.50           | 501425   | 101649                          | 152551                         | 152564                      | 10.3 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.00           | 500473   | 151985                          |                                |                             | 6.9  |
|   |                    | 1.50           | 501306   | 151986                          |                                | 152103                      | 10.3 |
| X6CrNiMoTi17-12 2B  | 1.4571 IIIC        | 1.00           | 500704   | 153015                          | 153104                         |                             | 6.9  |
|   |                    | 3.00           | 502761   | 153017                          |                                |                             | 20.7 |

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.



## Perforated sheet

Open Area: 22.3 %

# Aqua




| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |
|   | 1.50               |                | 101726                         |                                 |                                | 9.1                         |
|   | 2.00               |                | 101770                         |                                 |                                | 12.2                        |

## Perforated sheet


Open Area: 37.68 %

# Honeycomb



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm   | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |  |                                 |                                |                             |     |
|   | 1.50               | 501762         | 157650   | 153443                          | 153627                         | 7.3                         |     |
|   | 2.00               | 502520         | 153268   | 153444                          | 153628                         | 9.8                         |     |
| <b>Pre-galvanised</b>   |                    |                |  |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.50           | 501660   | 157104                          | 157105                         | 157106                      | 7.3 |
|   |                    | 2.00           | 502432   | 157107                          | 157108                         | 157109                      | 9.8 |
| <b>Aluminium</b>  |                    |                |  |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 501003   | 150165                          | 150356                         | 150543                      | 2.5 |
|   |                    | 2.00           | 501859   | 150166                          | 150357                         | 150544                      | 3.4 |
|   |                    | 3.00           | 502637   | 150167                          | 150358                         | 150545                      | 5.0 |
| // PVC coated on one side   |                    | 1.50           | 501087   | 150652                          | 150773                         |                             | 2.5 |
|   |                    | 2.00           |  501942 | 157649                          | 150774                         |                             | 3.4 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501165   | 150963                          |                                |                             | 2.5 |
|   |                    | 3.00           | 502691   |                                 | 151288                         |                             | 5.0 |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502072   | 151370                          | 151429                         | 151488                      | 3.4 |
| <b>Stainless steel</b>  |                    |                |  |                                 |                                |                             |     |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50           | 501398   | 152259                          | 152402                         | 152528                      | 7.3 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50           | 501500   | 152692                          | 152788                         | 152877                      | 7.3 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50           | 501307   | 151987                          |                                | 152104                      | 7.3 |

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 32 %

## Chess 20



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |      |
|   | 1.00               | 500803         | 153216                         | 153390                          |                                | 5.3                         |      |
|   | 1.50               | 501663         | 153217                         | 153391                          | 153574                         | 8.0                         |      |
|   | 2.00               | 502435         | 153218                         | 153392                          | 153575                         | 10.7                        |      |
|   | 2.99               | 502522         | 153219                         | 153393                          | 153576                         | 16.0                        |      |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.00           | 500705                         | 153748                          | 153866                         | 5.3                         |      |
|   |                    | 1.50           | 501563                         | 153749                          | 153867                         | 8.0                         |      |
|   |                    | 2.00           | 502346                         | 153750                          | 153868                         | 10.7                        |      |
|   |                    | 3.00           | 502762                         | 153751                          |                                | 16.0                        |      |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500903                         | 150112                          | 150302                         | 150489                      | 2.8  |
|   |                    | 2.00           | <sup>M</sup> 501765            | 150113                          | 150303                         | 150490                      | 3.7  |
|   |                    | 3.00           | 502576                         | 150114                          | 150304                         | 150491                      | 5.5  |
| // PVC coated on one side   |                    | 1.50           | 501006                         | 150618                          | 150726                         |                             | 2.8  |
|   |                    | 2.00           | 501862                         | 150619                          | 150727                         |                             | 3.7  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501090                         | 150905                          |                                |                             | 2.8  |
|   |                    | 3.00           | 502638                         |                                 |                                | 151229                      | 5.5  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 501997                         | 151347                          | 151406                         | 151465                      | 3.7  |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00           | 500319                         | 151608                          | 151743                         | 151834                      | 1.8  |
|   |                    | 1.50           | 501167                         | 151609                          | 151744                         |                             | 2.8  |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.00           | 500474                         | 152206                          | 152352                         |                             | 5.3  |
|   |                    | 1.50           | 501310                         | 152207                          | 152353                         | 152495                      | 8.0  |
|   |                    | 2.00           | 502173                         | 152208                          | 152354                         | 152496                      | 10.7 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.50           | 501427                         | 152655                          | 152756                         | 152848                      | 8.0  |
|   |                    | 2.00           | 502246                         | 152656                          | 152757                         |                             | 10.7 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.00           | 500407                         | 151951                          |                                |                             | 5.3  |
|   |                    | 1.50           | 501226                         | 151952                          |                                | 152082                      | 8.0  |
|   |                    | 2.00           | 502127                         | 151953                          |                                |                             | 10.7 |
| X6CrNiMoTi17-12 2B  | 1.4571 IIIC        | 1.00           | 500623                         | 152992                          | 153086                         |                             | 5.3  |
|   |                    | 1.50           | 501502                         | 152993                          |                                |                             | 8.0  |
|   |                    | 2.00           | 502303                         | 152994                          |                                |                             | 10.7 |
|   |                    | 3.00           | 502727                         | 152995                          |                                |                             | 16.0 |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 36.74 %

## Chess 30



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.00               | 500804         | 153220                         | 153394                          | 153577                         | 5.0                         |     |
|   | 1.50               | 501664         | 153221                         | 153395                          | 153578                         | 7.4                         |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.00           | 500706                         | 153752                          | 153869                         | 153965                      | 5.0 |
|   |                    | 1.50           | 501564                         | 153753                          | 153870                         | 153966                      | 7.4 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.00           | 500256                         | 150115                          | 150305                         | 150492                      | 1.7 |
|   |                    | 1.50           | 500904                         | 150116                          | 150306                         | 150493                      | 2.6 |
|   |                    | 2.00           | 501766                         | 150117                          | 150307                         | 150494                      | 3.4 |
| // PVC coated on one side   |                    | 1.50           | 501007                         | 150620                          | 150728                         |                             | 2.6 |
|   |                    | 2.00           | 501863                         | 150621                          | 150729                         | 150823                      | 3.4 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501091                         | 150908                          |                                |                             | 2.6 |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 501998                         | 151348                          | 151407                         | 151466                      | 3.4 |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00           | 500320                         | 151612                          | 151746                         | 151836                      | 1.7 |
|   |                    | 1.50           | 501168                         | 151613                          | 151747                         | 151837                      | 2.6 |
|   |                    | 2.00           | 502075                         | 151614                          | 151748                         |                             | 3.4 |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |     |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.00           | 500475                         | 152209                          | 152355                         |                             | 5.0 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.00           | 500563                         | 152657                          |                                |                             | 5.0 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.00           | 500408                         | 151954                          |                                |                             | 5.0 |
| X6CrNiMoTi17-12 2B  | 1.4571 IIIC        | 1.00           | 500624                         | 152996                          | 153088                         |                             | 5.0 |

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.


Simply enter the product name in the online search.

# Perforated sheet


Open Area: 8 %

## Ellipse EVH 8x32



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm   | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |  |                                 |                                |                             |      |
|   | 1.00               | 500806         | 153269   |                                 |                                | 7.2                         |      |
|   | 1.50               | 501666         | 153270   | 153445                          | 153629                         | 10.8                        |      |
|   | 2.00               | 502437         | 153271   | 153446                          | 153630                         | 14.4                        |      |
|   | 2.99               | 502524         | 153272   | 153447                          | 153631                         | 21.6                        |      |
| <b>Pre-galvanised</b>   |                    |                |  |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.00           | 500708   | 153772                          |                                | 7.2                         |      |
|   |                    | 1.50           | 501566   | 156932                          | 156933                         | 10.8                        |      |
|   |                    | 2.00           | 502348   | 156935                          | 156936                         | 14.4                        |      |
|   |                    | 3.00           | 502763   | 156453                          |                                | 21.7                        |      |
| <b>Aluminium</b>  |                    |                |  |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500906   | 150168                          | 150359                         | 150546                      | 3.7  |
|   |                    | 2.00           | 501768   | 150169                          | 150360                         | 150547                      | 5.0  |
|   |                    | 3.00           | 502578   | 150170                          | 150361                         | 150548                      | 7.5  |
| // PVC coated on one side   |                    | 1.50           | 501009   | 150653                          | 150775                         |                             | 3.7  |
|   |                    | 2.00           |  501865 | 100479                          | 100482                         |                             | 5.0  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501093   | 150966                          |                                |                             | 3.7  |
|   |                    | 3.00           | 502640   |                                 | 151291                         |                             | 7.5  |
| EN AW-5005 H24 EQ // PVC coated on both sides                     | AlMg 1 hh EQ       | 2.00           | 501946   | 156496                          | 156545                         | 156594                      | 5.0  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502000   | 151371                          | 151430                         | 151489                      | 5.0  |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00           | 500322   | 151639                          | 151766                         | 151850                      | 2.5  |
| <b>Stainless steel</b>  |                    |                |  |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.00           | 500477   | 152260                          | 152403                         |                             | 7.2  |
|   |                    | 1.50           | 501312   | 152261                          | 152404                         | 152529                      | 10.8 |
|   |                    | 2.00           | 502174   | 152262                          | 152405                         | 152530                      | 14.4 |
|   |                    | 3.00           | 502692   | 152263                          |                                |                             | 21.7 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.00           | 500565   | 152693                          |                                |                             | 7.2  |
|   |                    | 1.50           | 501429   | 152694                          | 152789                         | 152878                      | 10.8 |
|   |                    | 2.00           | 502247   | 152695                          | 152790                         |                             | 14.4 |
| X5CrNi18-10 2B // polished<br>2 sides grain 240, PVC 2 sides      |                    | 1.50           | 501401   | 100564                          | 157917                         | 152565                      | 10.8 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.00           | 500410   | 151988                          |                                |                             | 7.2  |
|   |                    | 1.50           | 501228   | 151989                          |                                | 152105                      | 10.8 |
|   |                    | 2.00           | 502128   | 156931                          |                                | 158433                      | 14.4 |
| X6CrNiMoTi17-12 2B  | 1.4571 IIIC        | 1.00           | 500626   | 153018                          | 153105                         |                             | 7.2  |
|   |                    | 3.00           | 502728   | 153019                          |                                |                             | 21.7 |

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 16.5 %

## Ellipse EVH 30x70



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.00               | 500805         | 153273                         |                                 |                                | 6.6                         |     |
|   | 1.50               | 501665         | 153274                         | 153448                          | 153632                         | 9.8                         |     |
|   | 2.00               | 502436         | 153275                         | 153449                          | 153633                         | 13.1                        |     |
|   | 2.99               | 502523         | 156454                         | 153450                          |                                | 19.6                        |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.00           | 500707                         | 153773                          |                                | 6.6                         |     |
|   |                    | 1.50           | 501565                         | 156925                          | 156926                         | 9.8                         |     |
|   |                    | 2.00           | 502347                         | 156928                          | 156929                         | 13.1                        |     |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500905                         | 150171                          | 150362                         | 150549                      | 3.4 |
|   |                    | 2.00           | 501767                         | 150172                          | 150363                         | 150550                      | 4.5 |
|   |                    | 3.00           | 502577                         | 150173                          | 150364                         | 150551                      | 6.8 |
| // PVC coated on one side   |                    | 1.50           | 501008                         | 150654                          | 150776                         |                             | 3.4 |
|   |                    | 2.00           | <sup>M</sup> 501864            | 100480                          | 150777                         |                             | 4.5 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501092                         | 150969                          |                                |                             | 3.4 |
|   |                    | 3.00           | 502639                         |                                 |                                | 151294                      | 6.8 |
| EN AW-5005 H24 EQ // PVC coated on both sides                     | AlMg 1 hh EQ       | 2.00           | 501945                         | 156497                          | 156546                         | 156595                      | 4.5 |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/CO,<br>PVC 1 side |                    | 2.00           | 501999                         | 151372                          | 151431                         | 151490                      | 4.5 |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00           | 500321                         | 151641                          | 151767                         | 151851                      | 2.3 |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |     |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.00           | 500476                         | 156455                          | 152406                         |                             | 6.6 |
|   |                    | 1.50           | 501311                         | 152264                          | 152407                         | 152531                      | 9.8 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.00           | 500564                         | 152696                          |                                |                             | 6.6 |
|   |                    | 1.50           | 501428                         | 152697                          | 152791                         | 152880                      | 9.8 |
| X5CrNi18-10 2B // polished<br>2 sides grain 240, PVC 2 sides      |                    | 1.50           | 501400                         | 157905                          | 152552                         | 152566                      | 9.8 |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.00           | 500409                         | 151990                          |                                |                             | 6.6 |
|   |                    | 1.50           | 501227                         | 151991                          |                                | 152106                      | 9.8 |
| X6CrNiMoTi17-12 2B  | 1.4571 IIIC        | 1.00           | 500625                         | 153020                          | 153106                         |                             | 6.6 |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet

Open Area: 17.67 %

## Ellipse EVL 15x30



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |      |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |      |
|   | 1.50               | 501667         | 153276                         | 153451                          | 153634                         | 9.7                         |      |
|   | 2.00               | 502438         | 153277                         | 153452                          | 153635                         | 12.9                        |      |
|   | 2.99               | 502525         | 153278                         | 153453                          | 153636                         | 19.3                        |      |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |      |
| DX51D   | St 02 Z            | 1.50           | 501567                         | 156938                          | 156939                         | 156940                      | 9.7  |
|   |                    | 2.00           | 502349                         | 156941                          | 156942                         | 156943                      | 12.9 |
|   |                    | 3.00           | 502764                         | 156456                          |                                |                             | 19.4 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |      |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500907                         | 150174                          | 150365                         | 150552                      | 3.3  |
|   |                    | 2.00           | 501769                         | 150175                          | 150366                         | 150553                      | 4.4  |
| // PVC coated on one side   |                    | 1.50           | 501010                         | 150655                          | 150778                         |                             | 3.3  |
|   |                    | 2.00           | 501866                         | 150656                          | 150779                         |                             | 4.4  |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501094                         | 150972                          |                                |                             | 3.3  |
| EN AW-5005 H24 EQ // PVC coated on both sides                     | AlMg 1 hh EQ       | 2.00           | 501947                         | 156498                          | 156547                         | 156596                      | 4.4  |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side |                    | 2.00           | 502001                         | 151373                          | 151432                         | 151491                      | 4.4  |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |      |
| X5CrNi18-10 2B  | 1.4301 IIIC        | 1.50           | 501313                         | 152265                          | 152408                         | 152532                      | 9.7  |
|   |                    | 2.00           | 502175                         | 152266                          | 152409                         | 152533                      | 12.9 |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        |                    | 1.00           | 500566                         | 152698                          |                                |                             | 6.5  |
|   |                    | 1.50           | 501430                         | 152699                          | 152792                         | 152881                      | 9.7  |
|   |                    | 2.00           | 502248                         | 152700                          | 152793                         |                             | 12.9 |
| X5CrNi18-10 2B // polished<br>2 sides grain 240, PVC 2 sides      |                    | 1.50           | 501402                         | 152541                          | 152553                         | 152567                      | 9.7  |
| X2CrNiMo17-12-2 2B  | 1.4404 IIIC        | 1.50           | 501229                         | 151992                          |                                | 152107                      | 9.7  |

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

## Perforated sheet

Open Area: 11.6 %

# Matrix



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |
|   | 1.50               | 501687         | 153279                         | 153454                          | 153637                         | 10.4                        |
|   | 2.00               | 502450         | 153280                         | 153455                          | 153638                         | 13.9                        |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |
| DX51D St 02 Z   | 1.50               | 501588         | 157040                         | 157041                          | 157042                         | 10.4                        |
|   | 2.00               | 502364         | 157043                         | 157044                          | 157045                         | 13.9                        |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |
| EN AW-1050A H24 Al 99,5% hh                                       | 1.50               | 500928         | 150176                         | 150367                          | 150554                         | 3.6                         |
|   | 2.00               | 501787         | 150177                         | 150368                          | 150555                         | 4.8                         |
| // PVC coated on one side   | 1.50               | 501030         | 150657                         | 150780                          |                                | 3.6                         |
|   | 2.00 <sup>M</sup>  | 501884         | 100478                         | 150781                          |                                | 4.8                         |
| EN AW-5005 H24 EQ// PVC coated on one side AlMg 1 hh EQ           | 1.50               | 501114         | 150974                         |                                 |                                | 3.6                         |
|   | 3.00               | 502647         |                                |                                 |                                | 7.2                         |
| EN AW-5005 H24 EQ<br>// pre-anodised 2 sides E6/C0,<br>PVC 1 side | 2.00               | 502019         | 151374                         | 151433                          | 151492                         | 4.8                         |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |
| X5CrNi18-10 2B 1.4301 IIIC  | 1.50               | 501330         | 152267                         | 152410                          | 152534                         | 10.4                        |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        | 1.50               | 501446         | 152701                         | 152794                          | 152883                         | 10.4                        |
| X5CrNi18-10 2B // polished<br>2 sides grain 240, PVC 2 sides      | 1.50               | 503224         | 157906                         | 158145                          | 158146                         | 10.4                        |
| X2CrNiMo17-12-2 2B 1.4404 IIIC                                    | 1.50               | 501245         | 151993                         |                                 | 152108                         | 10.4                        |

## Perforated sheet

Open Area: 22.3 %

# Infinity



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |
|   | 1.50               |                | 101746                         |                                 |                                | 9.1                         |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

## Perforated sheet

Open Area: 45 %

# No. 152



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.00 <sup>M</sup>  | 500823         | 100053                         | 158181                          | 158183                         | 4.3                         |     |
|   | 1.50               | 501688         | 100054                         | 158182                          | 158184                         | 6.5                         |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.00           | 500725                         | 153774                          | 158185                         | 158187                      | 4.3 |
|   |                    | 1.50           | 501589                         | 153775                          | 158186                         | 158188                      | 6.5 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.00           | 500259                         | 150178                          | 158189                         | 158191                      | 1.5 |
|   |                    | 1.50           | 500929                         | 150179                          | 158190                         | 158192                      | 2.2 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 503267                         | 158295                          |                                |                             | 2.2 |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00           | 500338                         | 151643                          |                                |                             | 1.5 |
|   |                    | 1.50           | 501172                         | 151644                          |                                |                             | 2.2 |
| <b>Brass</b>  |                    |                |                                |                                 |                                |                             |     |
| CuZn37  | 1.00               | 503236         | 158193                         |                                 |                                | 4.7                         |     |
|   | 1.50               | 503237         | 158194                         |                                 |                                | 7.0                         |     |

## Perforated sheet

Open Area: 33.1 %

# No. 153



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.00 <sup>M</sup>  | 503238         | 100867                         | 158195                          | 158196                         | 5.3                         |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.00           | 503239                         | 158197                          | 158198                         | 158199                      | 5.3 |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.00           | 503240                         | 158200                          | 158201                         | 158202                      | 1.8 |
| <b>Brass</b>  |                    |                |                                |                                 |                                |                             |     |
| CuZn37  | 1.00               | 503241         | 158203                         |                                 |                                | 5.7                         |     |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.



## Perforated sheet

Open Area: 44.03 %

# No. 154



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.00 <sup>M</sup>  | 500824         | 101517                         |                                 |                                | 4.4                         |     |
|   | 1.50               | 501689         | 157940                         | 153464                          | 153647                         | 6.6                         |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.00           | 500726                         | 156458                          | 157046                         | 4.4                         |     |
|   |                    | 1.50           | 501590                         | 157047                          | 157048                         | 6.6                         |     |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500930                         | 150180                          | 150369                         | 150556                      | 2.3 |
|   |                    | 2.00           | 501788                         | 150181                          | 150370                         | 150557                      | 3.0 |
| // PVC coated on one side   |                    | 1.50           | 501031                         | 150663                          | 150788                         |                             | 2.3 |
|   |                    | 2.00           | 501885                         | 150664                          | 150789                         |                             | 3.0 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501115                         | 150985                          |                                |                             | 2.3 |
| EN AW-5005 H24 EQ   |                    | 2.00           | 502020                         | 151375                          | 151434                         | 151493                      | 3.0 |
| // pre-anodised 2 sides E6/CO, PVC 1 side                         |                    | 1.00           | 500339                         | 151645                          | 151768                         | 151852                      | 1.5 |
| EN AW-5754 H22  | AlMg 3 hh          | 2.00           |                                | 158280                          |                                |                             | 3.0 |
| <b>Brass</b>  |                    |                |                                |                                 |                                |                             |     |
| CuZn37  |                    | 1.00           | 503242                         | 158204                          |                                |                             | 4.8 |
|   |                    | 1.50           | 503243                         | 158205                          |                                |                             | 7.1 |

## Perforated sheet

Open Area: 43.8 %

# No. 155



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |
|   | 1.00               |                | 101735                         |                                 |                                | 4.4                         |
|   | 1.50               |                | 101756                         |                                 |                                | 6.6                         |
|   | 2.00               |                | 101762                         |                                 |                                | 8.8                         |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |
| DX51D   | St 02 Z            | 1.00           |                                | 101729                          |                                | 4.4                         |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# Perforated sheet


Open Area: 31.5 %

## No. 156



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |
|   | 1.00               |                | 101734                         |                                 |                                | 5.4                         |
|   | 1.50               |                | 101777                         |                                 |                                | 8.1                         |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |
| DX51D   | St 02 Z            | 1.00           | 101803                         |                                 |                                | 5.4                         |

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

## Perforated sheet

Open Area: 41.23 %

## Cross 11



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |
|   | 1.00               | 500808         | 153288                         |                                 |                                | 4.6                         |
|   | 1.50 <sup>M</sup>  | 501670         | 101496                         | 153465                          | 153648                         | 6.9                         |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |
| DX51D St 02 Z   | 1.00               | 500710         | 153776                         | 156947                          |                                | 4.6                         |
|   | 1.50               | 501570         | 156948                         | 156949                          | 156950                         | 6.9                         |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |
| EN AW-1050A H24 Al 99,5% hh<br>// PVC coated on one side          | 1.50               | 500910         | 150182                         | 150371                          | 150558                         | 2.4                         |
|   | 1.50               | 501012         | 150665                         | 150790                          |                                | 2.4                         |
| EN AW-5005 H24 EQ// PVC coated<br>on one side AlMg 1 hh EQ        | 1.50               | 501097         | 150987                         |                                 |                                | 2.4                         |
| EN AW-5005 H24 EQ // PVC coated<br>on both sides AlMg 1 hh EQ     | 2.00               | 501948         | 156499                         | 156548                          | 156597                         | 3.2                         |
| EN AW-5754 H22 AlMg 3 hh  | 1.00               | 500324         | 151646                         | 151769                          | 151853                         | 1.6                         |
| <b>Brass</b>  |                    |                |                                |                                 |                                |                             |
| CuZn37  | 1.00               | 503244         | 158206                         |                                 |                                | 5.0                         |
|   | 1.50               | 503245         | 158207                         |                                 |                                | 7.5                         |

## Perforated sheet

Open Area: 41.11 %

## Cross 15



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |
|   | 1.00               | 500809         | 153289                         |                                 |                                | 4.6                         |
|   | 1.50 <sup>M</sup>  | 501671         | 157628                         | 153466                          | 153649                         | 6.9                         |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |
| DX51D St 02 Z   | 1.00               | 500711         | 153777                         | 156951                          |                                | 4.6                         |
|   | 1.50               | 501571         | 156952                         | 156953                          | 156954                         | 6.9                         |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |
| EN AW-1050A H24 Al 99,5% hh<br>// PVC coated on one side          | 1.50               | 500911         | 150183                         | 150372                          | 150559                         | 2.4                         |
|   | 1.50               | 501013         | 150666                         | 150791                          |                                | 2.4                         |
| EN AW-5005 H24 EQ// PVC coated<br>on one side AlMg 1 hh EQ        | 1.50               | 501098         | 150988                         |                                 |                                | 2.4                         |
| EN AW-5005 H24 EQ // PVC coated<br>on both sides AlMg 1 hh EQ     | 2.00               | 501949         | 156500                         | 156549                          | 156598                         | 3.2                         |
| EN AW-5754 H22 AlMg 3 hh  | 1.00               | 500325         | 151647                         | 151770                          | 151854                         | 1.6                         |
| <b>Stainless steel</b>  |                    |                |                                |                                 |                                |                             |
| X5CrNi18-10 2B 1.4301 IIIC  | 1.50               | 501315         | 156682                         | 156683                          | 156684                         | 6.9                         |
| X5CrNi18-10 2B // polished<br>1 side grain 240, PVC 1 side        | 1.50               | 501432         | 156720                         | 156721                          | 156722                         | 6.9                         |
| <b>Brass</b>  |                    |                |                                |                                 |                                |                             |
| CuZn37  | 1.00               | 503246         | 158208                         |                                 |                                | 5.0                         |
|   | 1.50               | 503247         | 158209                         |                                 |                                | 7.5                         |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

## Perforated sheet

Open Area: 23.53 %

# Lily 15



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                |                                |                                 |                                |                             |     |
|   | 1.00 <sup>M</sup>  | 500816         | 157935                         |                                 |                                | 6.0                         |     |
|   | 1.50               |                | 158577                         |                                 |                                | 9.0                         |     |
| <b>Pre-galvanised</b>   |                    |                |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.00           | 500718                         | 153778                          |                                | 6.0                         |     |
|   |                    | 1.50           | 501580                         | 157003                          | 157004                         | 9.0                         |     |
| <b>Aluminium</b>  |                    |                |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50           | 500920                         | 150184                          | 150373                         | 150560                      | 3.1 |
|   |                    | 2.00           | 501779                         | 150185                          | 150374                         | 150561                      | 4.1 |
| // PVC coated on one side   |                    | 1.50           | 501022                         | 150667                          | 150792                         |                             | 3.1 |
|   |                    | 2.00           | 501876                         | 150668                          | 150793                         |                             | 4.1 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50           | 501107                         | 150989                          |                                |                             | 3.1 |
| EN AW-5005 H24 EQ   |                    | 2.00           | 502011                         | 151376                          | 151435                         | 151494                      | 4.1 |
| // pre-anodised 2 sides E6/C0, PVC 1 side                         |                    | 1.00           | 500332                         | 151648                          | 151771                         | 151855                      | 2.1 |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00           | 500332                         | 151648                          | 151771                         | 151855                      | 2.1 |
| <b>Brass</b>  |                    |                |                                |                                 |                                |                             |     |
| CuZn37  |                    | 1.00           | 503248                         | 158210                          |                                |                             | 6.5 |
|   |                    | 1.50           | 503249                         | 158211                          |                                |                             | 9.7 |

## Perforated sheet

Open Area: 32.04 %

# Lily 28



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format    | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |     |
|---|--------------------|-------------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|-----|
| <b>Steel</b>  |                    |                   |                                |                                 |                                |                             |     |
|   | 1.00 <sup>M</sup>  | 500817            | 157936                         |                                 |                                | 5.3                         |     |
|   | 1.50               | 501680            | 153290                         | 153467                          | 153650                         | 8.0                         |     |
| <b>Pre-galvanised</b>   |                    |                   |                                |                                 |                                |                             |     |
| DX51D   | St 02 Z            | 1.00              | 500719                         | 153779                          |                                | 5.3                         |     |
|   |                    | 1.50              | 501581                         | 157006                          | 157007                         | 8.0                         |     |
| <b>Aluminium</b>  |                    |                   |                                |                                 |                                |                             |     |
| EN AW-1050A H24   | Al 99,5% hh        | 1.50              | 500921                         | 150186                          | 150375                         | 150562                      | 2.8 |
|   |                    | 2.00              | 501780                         | 150187                          | 150376                         | 150563                      | 3.7 |
| // PVC coated on one side   |                    | 1.50              | 501023                         | 150669                          | 150794                         |                             | 2.8 |
|   |                    | 2.00 <sup>M</sup> | 501877                         | 157629                          | 150795                         |                             | 3.7 |
| EN AW-5005 H24 EQ// PVC coated on one side                        | AlMg 1 hh EQ       | 1.50              | 501108                         | 150991                          |                                |                             | 2.8 |
| EN AW-5005 H24 EQ   |                    | 2.00              | 502012                         | 151377                          | 151436                         | 151495                      | 3.7 |
| // pre-anodised 2 sides E6/C0, PVC 1 side                         |                    | 1.00              | 500333                         | 151649                          | 151772                         | 151856                      | 1.8 |
| EN AW-5754 H22  | AlMg 3 hh          | 1.00              | 500333                         | 151649                          | 151772                         | 151856                      | 1.8 |
| <b>Brass</b>  |                    |                   |                                |                                 |                                |                             |     |
| CuZn37  |                    | 1.00              | 503250                         | 158212                          |                                |                             | 5.8 |
|   |                    | 1.50              | 503251                         | 158213                          |                                |                             | 8.7 |

<sup>M</sup> = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

## Perforated sheet

Open Area: 34.03 %

## Mesh



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  | 1.00               |                | 101508                         |                                 |                                | 5.2                         |

## Perforated sheet


Open Area: 38 %

## Labyrinth



| Material (desired formats also available in powder-coated finish) | Material thickness | Desired format | Small format<br>1000 x 2000 mm | Medium format<br>1250 x 2500 mm | Large format<br>1500 x 3000 mm | Weight<br>kg/m <sup>2</sup> |
|---|--------------------|----------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| <b>Steel</b>  | 1.00               |                | 101830                         |                                 |                                | 4.9                         |

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

# **SPINEA**

tekniikkaa ja terästä



**Spinea Oy**

Kytöntie 25 // 00770 Helsinki // Finland // [www.spinea.fi](http://www.spinea.fi) // [spinea@spinea.fi](mailto:spinea@spinea.fi)

**MEVACO GmbH**

Vordere Karlstraße 12 // 73033 Göppingen // Germany // [www.mevaco.de](http://www.mevaco.de)