

Expanded metal

Open Area: 50 %

Rhomb 8x4x1



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	1.7	500052	101095	101417		3.9
Pre-galvanised							
DX51D	St 02 Z	1.0	1.7	500035	101662	101665	3.9
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	1.7	500001	101595	154029	1.4

Expanded metal

Open Area: 67 %

Rhomb 8x6x1



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	1.9	500053	101096	154456		2.6
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	1.9	500002	153970	154030	0.9

Expanded metal

Open Area: 67 %

Rhomb 10x6x1



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	1.9	500054	154409	154457		2.6
Pre-galvanised							
DX51D	St 02 Z	1.0	1.9	500036	101663	154295	2.6
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	1.9	500003	101105	157950	0.9

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 33 %

Rhomb 12x6x2



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.0	3.0	500055	101005	154458	154517	5.2	
	1.5	3.0	500121	154410	154459		7.9	
Pre-galvanised								
DX51D	St 02 Z	1.0	3.0	500037	101473	154296	5.2	
		1.5	3.0	500103	154240	154297	7.9	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.0	3.0	500004	153971	154031	154094	1.8
		1.5	3.0	500073	153972	154032	154095	2.7
		2.0	3.0	503933	160513	160514	160515	3.6

Expanded metal

Open Area: 63 %

Rhomb 16x8x1.5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.0	2.8	500056	154411	154460	154518	2.9	
	1.5	2.8	500122	154412	101599	101673	4.4	
Pre-galvanised								
DX51D	St 02 Z	1.0	2.8	500038	101260	154298	2.9	
		1.5	2.8	500104	154241	154299	4.4	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.0	2.8	500005	101262	154033	154096	1.0
		1.5	2.8	500074	153973	154034	154097	1.5
Stainless steel								
X5CrNi18-10 2B	1.4301 IIIC	1.0	2.8	500022	101261		2.9	

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 60 %

Rhomb 20x10x2



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	3.7	500057	101006	101413	101674	3.1
	1.5	3.7	500123	154413	154462	154521	4.7
	2.0	3.7	500172	154414	154463		6.3
Pre-galvanised							
DX51D	St 02 Z	1.0	500039	101664	154300		3.1
		1.5	500105	154243	154301		4.7
		2.0	500157	154244	154302		6.3
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0 ^M	500006	101104	101418	154098	1.1
		1.5	500075	153974	154035	154099	1.6
		2.0	500139	153975	154036	154100	2.2
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	500023	101474			3.1
Brass							
CuZn37		1.0		160504			3.4
		1.5		160505			5.1
		2.0		160506			6.8

Expanded metal

Open Area: 80 %

Rhomb 20x15x1.5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	2.9	500124	101549	154465	154523	2.4
Pre-galvanised							
DX51D	St 02 Z	1.5 ^M	500106	101552	154304		2.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500007	153976	154037	154101	0.5
		1.5	500076	153977	154038	154102	0.8

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 44 %

Rhomb 28x9x2.5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	^M 4.2	500059	101420	154466	154524	4.4
	1.5	4.2	500125	154416	154467	154525	6.5
	2.0	4.2	500173	154417	154468	154526	8.7
Pre-galvanised							
DX51D	St 02 Z	1.0	500040	154246	154305		4.4
		1.5	500107	154247	154306		6.5
		2.0	500158	154248	154307		8.7
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500008	153978	154039	154103	1.5
		1.5	500077	153979	154040	154104	2.3
		2.0	500140	101660	154041	154105	3.0
		3.0	503934	160516	160517	160518	4.5
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	500024	154164			4.4
Brass							
CuZn37		1.0		160510			4.7
		1.5		160511			7.1
		2.0		160512			9.4

Expanded metal

Open Area: 69 %

Rhomb 28x13x2



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	3.8	500060	154418	154469	154527	2.4
	1.5	^M 3.8	500126	101475	154470	154528	3.6
	2.0	3.8	500174	101679	101668	101601	4.8
Pre-galvanised							
DX51D	St 02 Z	1.0	500041	154249	154308		2.4
		1.5	500108	154250	154309		3.6
		2.0	500159	154251	154310		4.8
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500009	153981	154042	154106	0.8
		1.5	500078	153982	154043	154107	1.2
		2.0	500141	153983	154044	154108	1.7
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	500025	154165			2.4
		1.5	500091	154166			3.6

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 71 %

Rhomb 30x17x2.5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.0	4.8	500061	154420	154472	154530	2.3	
	1.5	4.8	500127	101263	154473	154531	3.5	
	2.0	4.8	500175	154421	154474	154532	4.6	
Pre-galvanised								
DX51D	St 02 Z	1.5	4.8	500109	101264	101411	3.5	
		2.0	4.8	500160	154253	154312	4.6	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.0	4.8	500010	153984	154045	154109	0.8
		1.5	4.8	500079	153985	154046	154110	1.2
		2.0	4.8	500142	153986	154047	154111	1.6
Stainless steel								
X5CrNi18-10 2B	1.4301 IIIC	1.5	4.8	500092	101265		3.5	
Brass								
CuZn37		1.5	4.8		160573		3.7	
		2.0	4.8		160574		5.0	

Expanded metal

Open Area: 76 %

Rhomb 40x17x2



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.0	3.9	500062	154422	154475	154533	1.8	
	1.5	3.9	500128	101007	154476	154534	2.8	
	2.0	3.9	500176	154423	154477	154535	3.7	
Pre-galvanised								
DX51D	St 02 Z	1.0	3.9	500042	154254	154313	1.8	
		1.5	3.9	500110	157951	154314	2.8	
		2.0	3.9	500161	154255	154315	3.7	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.0	3.9	500011	153987	154048	154112	0.6
		1.5	3.9	500080	153988	154049	154113	1.0
		2.0	3.9	500143	153989	154050	154114	1.3
Stainless steel								
X5CrNi18-10 2B	1.4301 IIIC	1.0	3.9	500026	154168		1.8	
		1.5	3.9	500093	154169		2.8	

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 71 %

Rhomb 40x17x2.5




Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.0	4.8	500063	154424	154478	154536	2.3	
	1.5	4.8	500129	154425	154479	154537	3.5	
	2.0	4.8	500177	101666	154480	154538	4.6	
Pre-galvanised								
DX51D	St 02 Z	1.0	4.8	500043	154256	154316	2.3	
		1.5	4.8	500111	154257	154317	3.5	
		2.0	4.8	500162	154258	154318	4.6	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.0	4.8	500012	157946	154051	154115	0.8
		1.5	4.8	500081	153990	154052	154116	1.2
		2.0	4.8	500144	153991	154053	154117	1.6
Stainless steel								
X5CrNi18-10 2B	1.4301 IIIC	1.0	4.8	500027	154170		2.3	
		1.5	4.8	500094	154171		3.5	

Expanded metal


Open Area: 50 %

Rhomb 43x10x2.5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.0	4.3	500064	154427	154481	154539	3.9	
	1.5	4.3	500130	154428	154482	154540	5.9	
	2.0	 4.3	500178	101008	101414	154541	7.9	
Pre-galvanised								
DX51D	St 02 Z	1.0	4.3	500044	154259	154319	3.9	
		1.5	4.3	500112	154260	154320	5.9	
		2.0	4.3	500163	154261	154321	7.9	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.0	4.3	500013	153992	154054	154118	1.4
		1.5	4.3	500082	153993	154055	154119	2.0
		2.0	4.3	500145	153994	154056	154120	2.7
Stainless steel								
X5CrNi18-10 2B	1.4301 IIIC	1.0	4.3	500028	154172		3.9	
		1.5	4.3	500095	154173		5.9	

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 62 %

Rhomb 43x13x2.5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	4.6	500065	154429	154483	154542	3.0
	1.5 ^M	4.6	500131	101266	101669	154543	4.5
	2.0	4.6	500179	101667	101600	154544	6.0
Pre-galvanised							
DX51D	St 02 Z	1.0	500045	154262	154322		3.0
		1.5	500113	157947	154323		4.5
		2.0	500164	154263	154324		6.0
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500014	153995	154057	154121	1.0
		1.5	500083	153996	154058	154122	1.6
		2.0	500146	153997	154059	154123	2.1
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	503185	158082			3.0
		1.5	500096	101268			4.5
Brass							
CuZn37		1.0		160580			3.3
		1.5		160590			4.9
		2.0		160591			6.5

Expanded metal

Open Area: 47 %

Rhomb 43x15x4



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	6.8	500066	154431	154486	154545	4.2
	1.5	6.8	500132	154432	154487	154546	6.3
	2.0	6.8	500180	154433	154488	154547	8.4
	3.0 ^M	6.8	500198	101478	101670		12.6
Pre-galvanised							
DX51D	St 02 Z	1.0	500046	154264	154325		4.2
		1.5	500114	154265	154326		6.3
		2.0	500165	154266	154327		8.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500015	153998	154060	154124	1.4
		1.5	500084	153999	154061	154125	2.2
		2.0	500147	154000	154062	154126	2.9
		3.0	500187	154001	154063	154127	4.3
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	500030	154175			4.2
		1.5	500097	154176			6.3

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 33 %

Rhomb 45x15x5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	7.5	503063	157695	157704	157711	7.9
	2.0	7.5	503064	157696	157705	157712	10.5
	3.0	7.5	503065	157697			15.7
Pre-galvanised							
DX51D	St 02 Z	1.5	7.5	503066	157698	157706	7.9
		2.0	7.5	503067	157699	157707	10.5
		3.0	7.5	503068	157700		15.7
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5	7.5	503069	157701	157708	2.7
		2.0	7.5	503070	157702	157709	3.6
		3.0	7.5	503071	157703	157710	5.4
Brass							
CuZn37	1.5	7.5		160592			8.5
	2.0	7.5		160601			11.3
	3.0	7.5		160602			17.0

Expanded metal

Open Area: 60 %

Rhomb 45x20x4



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	7.3	500067	154434	154490	154548	3.1
	1.5	7.3	500133	154435	154491	154549	4.7
	2.0	7.3	500181	154436	154492	154550	6.3
	3.0	7.3	500199	101009	101415		9.4
	4.0	7.3		101010	101416		12.6
Pre-galvanised							
DX51D	St 02 Z	1.0	7.3	500047	154267	154328	3.1
		1.5	7.3	500115	154268	154329	4.7
		2.0	7.3	500166	154269	154330	6.3
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	7.3	500016	154002	154064	1.1
		1.5	7.3	500085	154003	154065	1.6
		2.0	7.3	500148	154004	154066	2.2
		3.0	7.3	500188	154005	154067	3.2
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	7.3	500031	158083		3.1
		1.5	7.3	500098	154178		4.7

M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 50 %

Rhomb 45x20x5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	8.7	502855	157468	157345	157140	3.9
	1.5	8.7	502856	157469	157346	157141	5.9
	2.0	8.7	502857	157470	157347	157142	7.9
	3.0	8.7	502858	157315	157143		11.8
Pre-galvanised							
DX51D	St 02 Z	1.0	502859	157316	157144		3.9
		1.5	502860	157317	157145		5.9
		2.0	502861	157318	157146		7.9
		3.0	502862	157147			11.8
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	502863	157471	157348	157148	1.4
		1.5 ^M	502864	157472	157349	157149	2.0
		2.0	502865	157473	157350	157150	2.7
		3.0	502866	157474	157351	157151	4.1
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	502868	157476	157353	157153	2.0
		2.0	502869	157477	157354	157154	2.7

Expanded metal

Open Area: 20 %

Rhomb 45x20x8



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	9.6	502871	157479	157356	157156	9.4
	2.0	9.6	502872	157319	157157		12.6
	3.0	9.6	502873	157158			18.8
Pre-galvanised							
DX51D	St 02 Z	1.5	502874	157480	157357	157159	9.4
		2.0	502875	157320	157160		12.6
		3.0	502876	157161			18.8
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	502877	157481	157358	157162	3.2
		2.0	502878	157482	157359	157163	4.3
		3.0	502879	157483	157360	157164	6.5
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	502880	157484	157361	157165	3.2
		2.0	502881	157485	157362	157166	4.3

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 64 %

Rhomb 50x22x4



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	7.5	500068	154437	154493	154551	2.9
	1.5	7.5	500134	154438	154494	154552	4.3
	2.0	7.5	500182	154439	154495	154553	5.7
	3.0	7.5	500200	101269	154496		8.6
Pre-galvanised							
DX51D	St 02 Z	1.0	500048	154270	154331	154389	2.9
		1.5	500116	154271	154332	154390	4.3
		2.0	500167	154272	154333	154391	5.7
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500017	154006	154068	154132	1.0
		1.5	500086	154007	154069	154133	1.5
		2.0	500149	154008	154070	154134	2.0
		3.0	500189	101479	154071	154135	2.9
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.5	500099	154180	154214		4.3

Expanded metal

Open Area: 52 %

Rhomb 60x25x6



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	10.5	503921	160481	160482	160483	5.7
	2.0	10.5	503922	160484	160485	160486	7.5
	3.0	10.5	503923	160487	160488		11.3
Pre-galvanised							
DX51D	St 02 Z	2.0	503925	160492	160493		7.5
		3.0	503926	160494			11.3
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5	503927	160495	160496	160497	1.9
		2.0	503928	160498	160499	160500	2.6
		3.0	503929	160501	160502	160503	3.9
EN AW-5005 H111 EQ	AlMg 1 hh EQ	2.0	503931	160507	160508	160509	2.6

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 70 %

Rhomb 62x20x3



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	5.7	503935	160519	160522	160525	2.4
	1.5	5.7	503936	160520	160523	160526	3.5
	2.0	5.7	503937	160521	160524	160527	4.7
	3.0	5.7	503938	160528	160529	160530	7.1
Pre-galvanised							
DX51D	St 02 Z	1.0	503939	160531	160535	160538	2.4
		1.5	503940	160532	160536	160539	3.5
		2.0	503941	160533	160537	160540	4.7
		3.0	503942	160534		160541	7.1
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	503943	160542	160546	160550	0.8
		1.5	503944	160543	160547	160551	1.2
		2.0	503945	160544	160548	160552	1.6
		3.0	503946	160545	160549	160553	2.4
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	503947	160554	160555	160556	1.2
		2.0	503948	160557	160558	160559	1.6
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.5	503950	160561	160564		3.5
		2.0	503951	160562			4.7

Expanded metal

Open Area: 30 %

Rhomb 62x20x7



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	10.0	500069	154440	154497	154554	5.5
	1.5	10.0	500135	154441	154498	154555	8.2
	2.0	10.0	500183	154442	154499	154556	11.0
	3.0	10.0	500201	101441	101672		16.5
Pre-galvanised							
DX51D	St 02 Z	1.0	500049	154273	154334	154392	5.5
		1.5	500117	154274	154335	154393	8.2
		2.0	500168	154275	154336	154394	11.0
		3.0	500194	154276			16.5
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500018	154009	154072	154136	1.9
		1.5	500087	154010	154073	154137	2.8
		2.0	500150	154011	154074	154138	3.8
		3.0	500190	154012	154075	154139	5.7
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	500033	154181			5.5

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 25 %

Rhomb 62x20x7.5



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	9.9	502883	157487	157364	157168	8.8
	2.0	9.9	502884	157321	101671		11.8
	3.0	9.9	502885	157170			17.7
Pre-galvanised							
DX51D	St 02 Z	1.5	502886	157488	157365	157171	8.8
		2.0	502887	157322	157172		11.8
		3.0	502888	157173			17.7
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	502889	157489	157366	157174	3.0
		2.0	502890	157490	157367	157175	4.1
		3.0	502891	157491	157368	157176	6.1
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	502892	157492	157369	157177	3.0
		2.0	502893	157493	157370	157178	4.1
Brass							
CuZn37		1.0		160603			6.4
		1.5		160604			9.6
		2.0		160610			12.8
		3.0		160620			19.1

Expanded metal

Open Area: 74 %

Rhomb 62x23x3



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	5.8	500070	154443	154501	154557	2.0
	1.5	5.8	500136	154444	154502	154558	3.1
	2.0	5.8	500184	101270	101412	101675	4.1
	3.0	5.8	500202	101598	154503		6.1
Pre-galvanised							
DX51D	St 02 Z	1.0	500050	154277	154338	156460	2.0
		1.5 ^M	500118	101480	154339	156461	3.1
		2.0	500169	154278	154340	156462	4.1
		3.0	500195	154279			6.1
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500019	154013	154076	154140	0.7
		1.5	500088	154014	154077	154141	1.1
		2.0	500151	154015	154078	154142	1.4
		3.0	500191	154016	154079	154143	2.1
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0	500034	154184			2.0
		1.5	500101	154185			3.1
		2.0	500155	101481			4.1

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 29 %

Rhomb 62x25.5x9.1



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.5	11.0	502895	157495	157372	157180	8.4	
	2.0	11.0	502896	157323	157181		11.2	
	3.0	11.0	502897	157182			16.8	
Pre-galvanised								
DX51D	St 02 Z	1.5	11.0	502898	157324	157183	8.4	
		2.0	11.0	502899	157325	157184	11.2	
		3.0	11.0	502900	157185		16.8	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.5	M 11.0	502901	157496	157373	157186	2.9
		2.0	11.0	502902	157497	157374	157187	3.9
		3.0	11.0	502903	157498	157375	157188	5.8
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	11.0	502904	157499	157376	157189	2.9
		2.0	11.0	502905	157500	157377	157190	3.9
Brass								
CuZn37		1.5	11.0		160621			9.1
		2.0	11.0		160622			12.1
		3.0	11.0		160626			18.2

Expanded metal

Open Area: 5 %

Rhomb 62x28x14



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.5	9.0	502907	157502	157379		11.2	
	2.0	9.0	502908	157326	157193		14.9	
	3.0	9.0	502909	157194			22.4	
Pre-galvanised								
DX51D	St 02 Z	1.5	9.0	502910	157327	157195	11.2	
		2.0	9.0	502911	157328	157196	14.9	
		3.0	9.0	502912	157197		22.4	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.5	M 9.0	502913	157503	157380	157198	3.8
		2.0	9.0	502914	157504	157381	157199	5.1
		3.0	9.0	502915	157505	157382	157200	7.7
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	9.0	502916	157506	157383		3.8
		2.0	9.0	502917	157507	157384		5.1
Brass								
CuZn37		1.5	9		160627			12.1
		2.0	9		160628			16.2

M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 80 %

Rhomb 62x30x3



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	5.9	503072	157716	157728	157737	2.4
	2.0	5.9	503073	157717	157729	157738	3.1
	3.0	5.9	503074	157718	157730		4.7
Pre-galvanised							
DX51D	St 02 Z	1.5	503075	157719	157731	157739	2.4
		2.0	503076	157720	157732	157740	3.1
		3.0	503077	157721	157733		4.7
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5	503078	157722	157734	157741	0.8
		2.0	503079	157723	157735	157742	1.1
		3.0	503080	157724	157736	157743	1.6

Expanded metal

Open Area: 60 %

Rhomb 62x30x6



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	11.0	503084	157744	157753	157762	4.7
	2.0	11.0	503085	157745	157754	157763	6.3
	3.0	11.0	503086	157746	157755		9.4
Pre-galvanised							
DX51D	St 02 Z	1.5	503087	157747	157756	157764	4.7
		2.0	503088	157748	157757	157765	6.3
		3.0	503089	157749	157758		9.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5	503090	157750	157759	157766	1.6
		2.0	503091	157751	157760	157767	2.2
		3.0	503092	157752	157761	157768	3.2

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 8 %

Rhomb 76x24x11



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	10.0	502931	157517	157394	157216	10.8
	2.0	10.0	502932	157331	157217		14.4
	3.0	10.0	502933	157218			21.6
Pre-galvanised							
DX51D	St 02 Z	1.5	502934	157332	157219		10.8
		2.0	502935	157333	157220		14.4
		3.0	502936	157221			21.6
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	502937	157518	157395	157222	3.7
		2.0	502938	157519	157396	157223	5.0
		3.0	502939	157520	157397	157224	7.4
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	502940	157521	157398	157225	3.7
		2.0	502941	157522	157399	157226	5.0

Expanded metal

Open Area: 77 %

Rhomb 76x35x4



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	7.8	500071	154446	154504	154560	1.8
	1.5	7.8	500137	154447	154505	154561	2.7
	2.0	7.8	500185	154448	154506	154562	3.6
	3.0 ^M	7.8	500203	101484	154507		5.4
Pre-galvanised							
DX51D	St 02 Z	1.5	500119	154281	154343		2.7
		2.0	500170	154282	154344		3.6
		3.0	500196	154283			5.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500020	154017	154080	154144	0.6
		1.5	500089	154018	154081	154145	0.9
		2.0	500152	154019	154082	154146	1.2
		3.0	500192	154020	154083	154147	1.9
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.5	500102	154187			2.7

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 37 %

Rhomb 76x35x11



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	15.0	502919	157509	157386	157204	7.4
	2.0	15.0	502920	157510	157387	157205	9.9
	3.0	15.0	502921	157206			14.8
Pre-galvanised							
DX51D	St 02 Z	1.5	502922	157329	157207		7.4
		2.0	502923	157330	157208		9.9
		3.0	502924	157209			14.8
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	502925	157511	157388	157210	2.5
		2.0	502926	157512	157389	157211	3.4
		3.0	502927	157513	157390	157212	5.1
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	502928	157514	157391	157213	2.5
		2.0	502929	157515	157392	157214	3.4
Brass							
CuZn37		1.5		160630			8.0
		2.0		160631			10.7
		3.0		160632			16.0

Expanded metal

Open Area: 80 %

Rhomb 90x30x3



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	5.9	500072	154449	154508	154563	1.6
	1.5	5.9	500138	154450	154509	154564	2.4
	2.0	5.9	500186	154451	154510	154565	3.1
	3.0	5.9	500204	101485	154511		4.7
Pre-galvanised							
DX51D	St 02 Z	1.0	500051	154284	154346		1.6
		1.5	500120	154285	154347		2.4
		2.0	500171	154286	154348		3.1
		3.0	500197	154287			4.7
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	500021	154021	154084	154148	0.5
		1.5	500090	154022	154085	154149	0.8
		2.0 ^M	500153	156779	154086	154150	1.1
		3.0	500193	154023	154087	154151	1.6

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 5 %

Rhomb 90x30x15



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	9.5	502943	157524	157401		11.2
	2.0	9.5	502944	157334	157229		14.9
	3.0	9.5	502945	157230			22.4
Pre-galvanised							
DX51D	St 02 Z	1.5	502946	157335	157231		11.2
		2.0	502947	157336	157232		14.9
		3.0	502948	157233			22.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	502949	157525	157402	157234	3.8
		2.0	502950	157526	157403	157235	5.1
		3.0	502951	157527	157404	157236	7.7
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	502952	157528	157405		3.8
		2.0	502953	157529	157406		5.1

Expanded metal

Open Area: 10 %

Rhomb 90x38x18



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	12.0	502955	157531	157408	157240	10.6
	2.0	12.0	502956	157337	157241		14.1
	3.0	12.0	502957	157242			21.2
Pre-galvanised							
DX51D	St 02 Z	1.5	502958	157532	157409	157243	10.6
		2.0	502959	157338	157244		14.1
		3.0	502960	157245			21.2
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	502961	157533	157410	157246	3.6
		2.0	502962	157534	157411	157247	4.9
		3.0	502963	157535	157412	157248	7.3
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	502964	157536	157413	157249	3.6
		2.0	502965	157537	157414	157250	4.9

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 5 %

Rhomb 90x40x20



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.5	12.5	502967	157539	157416		11.2	
	2.0	12.5	502968	157339	157253		14.9	
	3.0	12.5	502969	157254			22.4	
Pre-galvanised								
DX51D	St 02 Z	1.5	12.5	502970	157340	157255	11.2	
		2.0	12.5	502971	157341	157256	14.9	
		3.0	12.5	502972	157257		22.4	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.5	12.5	502973	157540	157417	157258	3.8
		2.0	12.5	502974	157541	157418	157259	5.1
		3.0	12.5	502975	157542	157419	157260	7.7
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	12.5	502976	157543	157420		3.8
		2.0	12.5	502977	157544	157421		5.1

Expanded metal

Open Area: 27 %

Rhomb 110x30x11



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²	
Steel								
	1.5	15.0	502979	157546	157423	157264	8.6	
	2.0	15.0	502980	157342	157265		11.5	
	3.0	15.0	502981	157266			17.3	
Pre-galvanised								
DX51D	St 02 Z	1.5	15.0	502982	157343	157267	8.6	
		2.0	15.0	502983	157344	157268	11.5	
		3.0	15.0	502984	157269		17.3	
Aluminium								
EN AW-1050A H24	Al 99,5% hh	1.5	15.0	502985	157547	157424	157270	3.0
		2.0	15.0	502986	157548	157425	157271	4.0
		3.0	15.0	502987	157549	157426	157272	5.9
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	15.0	502988	157550	157427	157273	3.0
		2.0	15.0	502989	157551	157428	157274	4.0

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 8 %

Rhomb 110x52x24



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	18.5	503187	154452	154512	154566	7.2
	1.5	18.5	503186	154453	154513	154567	10.9
Pre-galvanised							
DX51D	St 02 Z	1.0	503189	154288	154350		7.2
		1.5	503188	154289	154351		10.9
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	503190	154024	154088	154152	2.5
		1.5	503191	154025	154089	101596	3.7
		2.0	503192	101661	154090	154154	5.0
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5 ^M	503193	157948	158085	158084	3.7
		2.0	503194	158088	158087	158086	5.0
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0		154192			7.2
Brass							
CuZn37		1.0		160635			7.8
		1.5		160636			11.8
		2.0		160637			15.7

Expanded metal

Open Area: 85 %

Rhomb 115x40x3



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	5.9	503093	157769	157778	157787	1.8
	2.0	5.9	503094	157770	157779	157788	2.4
	3.0	5.9	503095	157771	157780	157789	3.5
Pre-galvanised							
DX51D	St 02 Z	1.5	503096	157772	157781	157790	1.8
		2.0	503097	157773	157782		2.4
		3.0	503098	157774	157783		3.5
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	503099	157775	157784	157791	0.6
		2.0	503100	157776	157785	157792	0.8
		3.0	503101	157777	157786	157793	1.2

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 25 %

Rhomb 115x48x18



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.0	23.8	503195	154454	154514	154568	5.9
	1.5	23.8	503196	154455	154515	154569	8.8
	2.0	23.8	503197	156867	154516		11.8
Pre-galvanised							
DX51D	St 02 Z	1.0	503198	154290	154352		5.9
		1.5	503199	154291	154353		8.8
		2.0	503200	154292	154354		11.8
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.0	503201	154027	154091	154155	2.0
		1.5	503202	154028	154092	154156	3.0
		2.0	503203	156780	154093	101597	4.1
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	503205	158091	158090	158089	3.0
		2.0	503206	158094	158093	158092	4.1
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.0		154193			5.9
Brass							
CuZn37		1.0		160638			6.4
		1.5		160639			9.6
		2.0		160640			12.8

Expanded metal

Open Area: 17 %

Rhomb 115x48x20



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	22.1	503952	160566	160568	160570	9.8
	2.0	22.1	503953	160567	160569		13.1
Pre-galvanised							
DX51D	St 02 Z	1.5	503955	160575	160577	160579	9.8
		2.0	503956	160576	160578		13.1
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5	503957	160581	160584	160587	3.4
		2.0	503958	160582	160585	160588	4.5
		3.0	503959	160583	160586	160589	6.7
EN AW-5005 H111 EQ	AlMg 1 hh EQ	2.0	503410	158985	158986	158987	4.5
Brass							
CuZn37		1.5		160641			10.6
		2.0		160642			14.2

M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 89 %

Rhomb 115x55x3



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	6.0	503173	158058	158054	158051	1.3
	2.0	6.0	503177	158069	158065	158062	1.7
	3.0	6.0	503181	158078	158075	158073	2.6
Pre-galvanised							
DX51D	St 02 Z	1.5	503174	158059	158055		1.3
		2.0	503178	158070	158066		1.7
		3.0	503182	158079	158076		2.6
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5	503175	158060	158056	158052	0.4
		2.0	503179	158071	158067	158063	0.6
		3.0	503183	158080	158077	158074	0.9
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	503176	158061	158057	158053	0.4
		2.0	503180	158072	158068	158064	0.6

Expanded metal

Open Area: 57 %

Rhomb 160x42x9



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	16.3	503111	157819	157828	157837	5.0
	2.0	16.3	503112	157820	157829	157838	6.7
	3.0	16.3	503113	157821	157830	157839	10.1
Pre-galvanised							
DX51D	St 02 Z	1.5	503114	157822	157831	157840	5.0
		2.0	503115	157823	157832		6.7
		3.0	503116	157824	157833		10.1
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5 ^M	503117	157825	157834	157841	1.7
		2.0	503118	157826	157835	157842	2.3
		3.0	503119	157827	157836	157843	3.5
Brass							
CuZn37		1.5		160646			5.5
		2.0		160647			7.3
		3.0		160648			10.9

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Expanded metal

Open Area: 8 %

Rhomb 160x52x24



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	1.5	15.0	503023	157584	157461	157308	10.9
	2.0	15.0	503024	157585	157462		14.5
Pre-galvanised							
DX51D	St 02 Z	1.5	503025	157586	157463	157310	10.9
		2.0	503026	157587	157464		14.5
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.5	503039	157624	157612	157600	3.7
		2.0	503040	157625	157613	157601	5.0
		3.0	503041	157626	157614	157602	7.5
EN AW-5005 H24 EQ	AlMg 1 hh EQ	1.5	503027	157588	157465	157312	3.7
		2.0	503028	157589	157466	157313	5.0
Brass							
CuZn37	1.5	15		160649			11.8
	2.0	15		160650			15.7

Expanded metal

Open Area: 78 %

Rhomb 200x55x6



Material (desired formats also available in powder-coated finish)	Material thickness	Overall thickness a in mm	Desired format	Small format 1000 x 2000	Med. format 1250 x 2500	Large format 1500 x 3000	Weight kg/m ²
Steel							
	3.0	11.5	503170	101491	158046	158043	5.1
Pre-galvanised							
DX51D	St 02 Z	3.0	503171	158049	158047	158044	5.1
Aluminium							
EN AW-1050A H24	Al 99,5% hh	3.0	503172	158050	158048	158045	1.8

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

SPINEA

tekniikkaa ja terästä



Spinea Oy

Kytöntie 25 // 00770 Helsinki // Finland // www.spinea.fi // spinea@spinea.fi

MEVACO GmbH

Vordere Karlstraße 12 // 73033 Göppingen // Germany // www.mevaco.de